

RECEIVED
CENTRAL FAX CENTER

DEC 13 2006

HAMRE, SCHUMANN,
MUELLER & LARSON, P.C.

AN INTERNATIONAL INTELLECTUAL PROPERTY LAW FIRM

FAX TRANSMISSION December 13, 2006

TO: Mail Stop: AF
Examiner: Delma R. Flores Ruiz
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

FROM: Douglas P. Mueller

OUR REF: 10873.1414US01

TELEPHONE: (612) 455.3800


Total pages, including cover letter: 3

PTO FAX NUMBER: 571.273.8300

If all pages are NOT received, please call us at 612.455.3800 or fax us at 612.455.3801.


Title of Document: COMMUNICATION REGARDING REPLACEMENT
DRAWINGS, REPLACEMENT DRAWING SHEETApplicant: TAKAYAMA
Serial No.: 10/796,704
App. Filed: March 9, 2004
Group Art No.: 2828

Please charge any additional fees or credit overpayment to Deposit Account No. 50-3478. Please consider this a PETITION FOR EXTENSION OF TIME for a sufficient number of months to enter these papers, if appropriate.

By: 
Name: Douglas P. Mueller
Reg. No. 30,300

I hereby certify that this paper is being transmitted by facsimile to the U.S. Patent and Trademark Office on the date shown below.

Nicole Landree


SignatureDecember 13, 2006
Date225 SOUTH SIXTH STREET, SUITE 2650, MINNEAPOLIS, MN 55402
TEL 612.455.3800 • FAX 612.455.3801
WWW.HSML.COM • MAIL@HSML.COM

DEC 13 2006

S/N 10/796,704

PATENTIN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	TAKAYAMA	Examiner:	Delma R. Flores Ruiz
Serial No.:	10/796,704	Group Art Unit:	2828
Filed:	March 9, 2004	Docket No.:	10873.1414US01
Title:	SEMICONDUCTOR LASER DEVICE AND OPTICAL PICK UP APPARATUS USING THE SAME		

CERTIFICATE UNDER 37 CFR 1.6(d):

I hereby certify that this paper is being transmitted by facsimile to the U.S. Patent and Trademark Office on October December 13, 2006.

By: 

Name: Nicole Landree

COMMUNICATION REGARDING REPLACEMENT DRAWINGS

Mail Stop: AF
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

With respect to the drawings in this application, in the Notice of Allowability mailed on December 1, 2006, the Examiner did not acknowledge the replacement drawings. A copy of the replacement sheet is attached herewith. Therefore, Applicant requests that a Supplemental Notice of Allowability be issued acknowledging that the drawings are accepted. Any questions regarding this communication can be directed to the undersigned attorney, Douglas P. Mueller, Reg. No. 30,300, at (612) 455-3804.

53148

PATENT TRADEMARK OFFICE

Respectfully submitted,

HAMRE, SCHUMANN, MUELLER &
LARSON, P.C.
P.O. Box 2902
Minneapolis, MN 55402-0902
(612) 455-3800

Dated: December 13, 2006By: 

Douglas P. Mueller
Reg. No. 30,300

DPM/nel